



T 17/1

Powerful dry vacuum cleaner with large container capacity for extra long working intervals.

1 Main filter basket

- Large permanent main filter ensures optimal dust separation. For use with or without filter bag.

3 On-board cord storage

- The 12 m power cord can be wound fully around the cord storage built into the turbine head.

2 Foot switch for added convenience

- No need to bend down.

4 Power outlet for ESB 28 electric brush

- With the ESB 28 electrical suction brush, the suction power can be adjusted continuously with just one turn to suit the particular floor covering. This does not increase the noise level.



T 17/1

- Reduced power consumption
- Power outlet for ESB 28 electric brush
- Foot switch for added convenience

Technical data

| | | |
|--------------------------------|-------------------|-----------------|
| Order No. | 1.355-131.0 | |
| EAN code | 4039784723412 | |
| Air flow | l/s | 61 |
| Vacuum | mbar / kPa | 244 / 24.4 |
| Container capacity | l | 17 |
| Max. rated input power | W | 1300 |
| Standard nominal width | | 32 |
| Cable length | m | 12 |
| Sound pressure level | dB(A) | 65 |
| Sound power level | dB(A) | 77 |
| Weight | kg | 7 |
| Dimensions (L × W × H) | mm | 440 × 315 × 420 |
| Energy efficiency class | | E |

Equipment

| | | |
|--------------------------------------|-----------|---------|
| Suction hose | m | 2.5 |
| Suction tube, metal 2 x 0.5 m | | ■ |
| Filter bag | | Fleece |
| Switchable floor nozzle | mm | 285 |
| Container material | | Plastic |

■ Included in delivery.

ACCESSORIES FOR T 17/1

1.355-131.0

KÄRCHER



| | | Order No. | Anzahl | Dummy | Dummy | Dummy | Price | Description | |
|---------------------------------------|----|-------------|--------------|-------|-------|-------|-------|--|---|
| Exhaust air filter | | | | | | | | | |
| Standard exhaust filter | 1 | 6.414-802.0 | 3 piece(s) | | | | | Standard exhaust filter. | ■ |
| Motor protection filter | 2 | 6.414-611.0 | 5 piece(s) | | | | | Change the motor filter and interchangeable fleece when heavily soiled. | ■ |
| Main filter baskets | | | | | | | | | |
| Permanent main filter basket | 3 | 5.731-640.0 | 1 piece(s) | | | | | Nylon, washable up to approx. 40°C. | ■ |
| | 4 | 4.731-011.0 | 1 piece(s) | | | | | Reinforced polyester needle fleece, washable up to 40°C. | □ |
| Fleece filter bags (three-ply) | | | | | | | | | |
| Fleece filter bags | 5 | 6.907-017.0 | 10 piece(s) | | | | | Fleece filter bag, tear-resistant, dust class M. | ■ |
| Fleece filter bags, bulk value pack | 6 | 6.907-018.0 | 200 piece(s) | | | | | Fleece filter bag, tear-resistant, dust class M. Bulk value pack. | □ |
| HEPA, dust class H filter | | | | | | | | | |
| HEPA flat pleated filter | 7 | 6.414-801.0 | 1 piece(s) | | | | | HEPA filter cartridge, paper/plastic (HEPA 12). | □ |
| Paper filter bags (two-ply) | | | | | | | | | |
| Paper filter bags, bulk pack | 8 | 6.907-016.0 | 200 piece(s) | | | | | Homologación para la categoría de polvo M. Rentable paquete grande. | □ |
| Paper filter bags | 9 | 6.907-019.0 | 10 piece(s) | | | | | Set (10 pieces) of paper filter bags (BIA C dust class M) for use in all commercial dry vacuum cleaners. | □ |
| Fabric filter bag | | | | | | | | | |
| Fabric filter bag | 10 | 6.904-316.0 | 1 piece(s) | | | | | Cotton, washable (40°C), reusable. | □ |

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR T 17/1

1.355-131.0

KÄRCHER



| | | Order No. | Quantity | ID | Length | Width | Price | Description | |
|---|----|-------------|------------|-------|--------|--------|-------|---|---|
| Bend, plastic | | | | | | | | | |
| Bend, plastic | 1 | 4.408-051.0 | 1 piece(s) | DN 32 | | | | Plastic with C-32 clip system. | ■ |
| Comfort bend, plastic, C 32 clip system | 2 | 4.440-865.0 | 1 piece(s) | DN 32 | | | | Plastic bend (DN 32) with C-32 clip system with opening for adjusting the floor tool for high-pile or extremely dense textile coverings. | □ |
| Combi-nozzles, dry | | | | | | | | | |
| Combi-nozzle | 3 | 6.907-410.0 | 1 piece(s) | DN 32 | | 270 mm | | | ■ |
| Combination floor tool for parquet | 4 | 6.906-107.0 | 1 piece(s) | DN 32 | | 360 mm | | Plastic combination floor tool for parquet (DN 32) with brush strips and two rollers, suitable for all industrial T vacuum cleaners. Combination floor tool without changeover function. 360 mm | □ |
| Combi-nozzle for parquet | 5 | 6.907-486.0 | 1 piece(s) | DN 32 | | 300 mm | | | □ |
| Combi-nozzle dry | 6 | 6.906-812.0 | 1 piece(s) | DN 32 | | 255 mm | | Plastic combination floor tool with plastic base plate and two rollers. | □ |
| Combi-nozzle | 7 | 6.907-468.0 | 1 piece(s) | DN 32 | | 290 mm | | | □ |
| | 8 | 6.907-467.0 | 1 piece(s) | DN 32 | | 270 mm | | | □ |
| Combi-nozzle dry | 9 | 6.906-211.0 | 1 piece(s) | DN 32 | | 262 mm | | Plastic combination floor tool with changeover function (ID 32; 260 mm), with stainless steel base plate. | □ |
| Suction tubes, metal | | | | | | | | | |
| Suction tube | 10 | 6.906-618.0 | 1 piece(s) | DN 32 | 0.5 m | | | Metal suction tube (DN 32, length 0.5 m) with black plastic coating, suitable as an extension, e.g. vacuuming ceilings. | ■ |
| Telescopic suction tube | 11 | 6.903-524.0 | 1 piece(s) | DN 32 | | | | Chromium-plated metal telescopic tube (DN 32, length: 0.61-1 m), suitable as an extension, e.g. vacuuming ceilings. | □ |
| Suction tube | 12 | 6.903-850.0 | 1 piece(s) | DN 32 | 0.5 m | | | Metal | □ |
| Complete suction hoses (clip system) | | | | | | | | | |
| Suction hose with bend, antistatic | 13 | 4.440-907.0 | 1 piece(s) | DN 32 | 2.5 m | | | Improved quality: 2.5 m suction hose with dry vacuum cleaner connection, clip connection and bend (C-DN 32). | ■ |
| Suction hose, complete | 14 | 4.440-982.0 | 1 piece(s) | DN 32 | 2.5 m | | | | □ |
| Micro sprayer sets | | | | | | | | | |
| Nozzle kit | 15 | 2.860-143.0 | 4 piece(s) | DN 32 | | | | Nozzle kit (DN 32) for all industrial dry vacuum cleaners, includes crevice tool, upholstery tool, round brush and clip holder. | □ |
| Inaktiv | | | | | | | | | |
| Plastic bend | 16 | 4.408-052.0 | 1 piece(s) | DN 32 | | | | Electrically conductive plastic bend (DN 32) with C-32 clip system, reduces static buildup. Optional for BV 111, T 7/1, T 191, T 10/1, T 12/1, T 201/T201 + ESB 28. | □ |
| All-purpose brushes | | | | | | | | | |
| Multi-purpose brush | 17 | 6.906-122.0 | 1 piece(s) | DN 32 | 120 mm | | | All-purpose plastic brush Bristles: 120 x 45 mm. For all T and BV types. | □ |
| Electric brushes | | | | | | | | | |
| Brush head ESB 34 | 18 | 2.642-442.0 | 1 piece(s) | DN 32 | | 340 mm | | ESB 34 with suction hose with integrated electric cable and telescopic suction tube. | □ |
| Electric brush - ESB 28 | 19 | 2.641-815.0 | 1 piece(s) | DN 32 | | 280 mm | | Electric brush with suction hose, power cord and telescopic suction tube. For better dirt pick up from textiles. Also suitable for flexible and hard surfaces. For T 201 and T 12/1. | □ |
| Crevice nozzles | | | | | | | | | |
| Crevice nozzle | 20 | 6.903-403.0 | 1 piece(s) | DN 32 | 210 mm | | | Plastic crevice tool (DN 32) for industrial dry vacuum cleaners for vacuuming in crevices and corners. | □ |
| Radiator brushes | | | | | | | | | |
| Radiator brush | 21 | 6.903-404.0 | 1 piece(s) | DN 32 | | | | Radiator brush is suitable for crevice tool 6.903-403.0 | □ |

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR T 17/1

1.355-131.0

KÄRCHER



| | | Order No. | Quantity | ID | Length | Width | Price | Description | |
|---|----|-------------|------------|-------|--------|--------|-------|--|--------------------------|
| Upholstery nozzles | | | | | | | | | |
| Upholstery nozzle | 22 | 6.903-402.0 | 1 piece(s) | DN 32 | | 120 mm | | Plastic upholstery tool (DN 32) with thread catcher, standard for T 201, T 201 + ESB 28. Optional for T 7/1, T 191, T 10/1. | <input type="checkbox"/> |
| Suction brushes | | | | | | | | | |
| Suction brush | 23 | 6.903-887.0 | 1 piece(s) | DN 32 | | 70 mm | | Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners. | <input type="checkbox"/> |
| Turbo nozzles | | | | | | | | | |
| Turbo upholstery nozzle | 24 | 2.860-113.0 | 1 piece(s) | DN 32 | | 160 mm | | Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve. | <input type="checkbox"/> |
| Turbo floor nozzle | 25 | 2.860-114.0 | 1 piece(s) | DN 32 | | 270 mm | | Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve. | <input type="checkbox"/> |
| Repair kits | | | | | | | | | |
| Repair kit, C 32 | 26 | 2.639-739.0 | 1 piece(s) | DN 32 | | | | Repair set (C32) includes threaded hose adapters for industrial T vacuum cleaners with clip system. | <input type="checkbox"/> |
| Suction hoses (clip system) | | | | | | | | | |
| Suction hose | 27 | 4.440-911.0 | 1 piece(s) | DN 32 | 2.5 m | | | 2.5 m suction hose with dry vacuum cleaner connection, clip connection (C 32). | <input type="checkbox"/> |
| Connecting sleeves | | | | | | | | | |
| Adaptor, ID 32/35, with internal thread | 28 | 6.902-077.0 | 1 piece(s) | DN 32 | | | | Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35. | <input type="checkbox"/> |
| Extension hoses (clip system) | | | | | | | | | |
| Extension hose | 29 | 6.906-237.0 | 1 piece(s) | DN 32 | 2.5 m | | | Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system. | <input type="checkbox"/> |
| Extension hose, electrically conductive | 30 | 6.906-277.0 | 1 piece(s) | DN 32 | 2.5 m | | | for all C-32 and C-35 hoses, electrically conductive. | <input type="checkbox"/> |
| Expansion pieces (tube -> nozzle) | | | | | | | | | |
| Adapter | 31 | 6.902-083.0 | 1 piece(s) | DN 32 | | | | From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners. | <input type="checkbox"/> |
| Reducers (tube -> nozzle) | | | | | | | | | |
| Reducer from ID 35 to ID 32 | 32 | 6.902-072.0 | 1 piece(s) | DN 35 | | | | Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners. | <input type="checkbox"/> |
| Reduction/expansion adapter kit | | | | | | | | | |
| Set of reducers / adapter sleeves | 33 | 2.860-117.0 | 1 piece(s) | | | | | DN 40/35, DN 35/32 (tube -> nozzle), plastic. | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR T 17/1 1.355-131.0

| | | Order No. | | | | | Price | Description | |
|----------------------|---|-------------|--|--|--|--|-------|-------------|--------------------------|
| Suction tools | | | | | | | | | |
| Multi-purpose nozzle | 1 | 6.906-089.0 | | | | | | | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.