

Compact class  
**HD 6/15 C**

**KÄRCHER**

Unheated high-pressure cleaner for daily commercial use. Thanks to the compact dimensions, robust construction style and maximum manoeuvrability, this machine from the compact class is true to its name.

**Equipment:**

- Spray gun Easy Press trigger gun
- Trigger gun with soft grip insert
- Pressure hose 10 m
- Spray lance 850 mm
- Triple nozzle (0°/25°/40°) manual
- Anti-twist system
- Pressure cut-off

**Order no.: 1.150-600.0**



**Technical data**

Supply voltage Ph/V/Hz	1/230/50
Flow rate (l/h)	230-560
Working pressure (bar/MPa)	30-150/3-15
Max. pressure (bar/MPa)	190/19
Max. water inlet temperature (°C)	up to 60
Connection load (kW)	3.1
Weight (kg)	23
Dimensions (L x W x H) (mm)	360x375x925

## Details

### Description

This unheated high-pressure cleaner with AC drive is a top-quality, compact-class machine for commercial use. The upright HD 6/15 C is mobile, compact and features an aluminium-profile, height-adjustable push handle. The advantage of this push handle is that it can easily be adapted to the user's height, without the need for tools. When extended, accessories are always ready to hand and safely stored thanks to the generous accessory storage possibilities. When retracted, the handy machine can be easily stowed away in any estate car or service vehicle. Familiar Kärcher equipment features include a complete covering made from impact-resistant plastic, which protects the high-pressure pump and motor against damage and dirt. The machine also features practical electrical cable rewind (with plug storage) and nozzle compartment at the rear. Infinite pressure volume regulation on the machine means that the pressure/water volume can be adapted to the required cleaning task. The supplied triple nozzle ensures quick and easy jet changeover. You can choose between high-pressure point stream, high-pressure flat stream (25°) and low-pressure flat stream (40°). The low-pressure flat stream (40°) is used for applying cleaning agent. Cleaning agents can be continuously added to the high-pressure stream with the cleaning agent dosing valve. The 3-piston axial pump with stainless steel pistons and brass cylinder head is durable and highly reliable. A particular feature of this newly developed pump is the brass water inlet and high-pressure outlet. This ensures very high ultimate strength and corrosion resistance.

---

### Features & Benefits

Easy Press spray gun

Reduced operation and holding effort for easy operation.

Ergonomic design for convenient operation.

With soft grip handle for a secure grip.

Infinitely variable pressure and water flow regulation

Adjustable directly on the machine.

For gentle cleaning of sensitive surfaces.

Extendable push handle

Large aluminium profiles ensure stability and easy turning manoeuvre.

Acts as an accessory holder when extended.

When retracted, it takes up little space and is easy to transport in a service vehicle/estate car, for example.

Outstanding mobility

For fast cleaning at different locations of use.

Space-saving storage in service vehicles.

Short set-up times thanks to integrated storage possibilities.

---

## Accessories

### Adapter for variable pressure spray lance

#### Adapter for variable pressure lance

For items 4.760-230 and 4.760-362 for mounting accessories to lance, M 24/18 x 1.5

Order no. 4.762-075.0



### Adapters

#### Adapter M 22 – Swivel

M22 x 1,5female and swivel connection. For extension of high-pressure hoses with AVS connection or for usage of the telescopic lance with a high-pressure hose with AVS connection.

Order no. 4.424-004.0



### Angular spray lance

#### Spray lance for toilets and rain gutters

Stainless steel lance WC and gutter with nozzle insert. Specially shaped for effective and hygienic cleaning of gutters and toilets.

Order no. 4.760-073.0



### Automatic, self-winding hose reels

#### Automatic hose reel, coated

Automatic hose reel of durable plastic. Painted steel bracket. Suitable for 20 m high-pressure hose.

Order no. 2.639-919.0



#### Powder-coated swivel holder

Swivel holder for automatic hose reel wall mounting. For maximum action radius and flexibility of high-pressure hose. Rotatable 120°. Galvanised steel.

Order no. 2.639-931.0



#### Automatic hose reel, stainless steel, includes swivel holder

Automatic stainless steel hose reel. With swivel holder. Suitable for 20 m high-pressure hose.

Order no. 6.391-421.0



#### Automatic hose reel, powder-coated steel / plastic

Automatic hose reel for 20 m high-pressure hose. The console is made from powder-coated steel, the drum is made from plastic.

Order no. 6.392-975.0



## Automatic, self-winding hose reels

### Automatic stainless steel / synthetic material hose drum

Automatic hose reel for 20 m high-pressure hose. The console consists of stainless steel, the drum is made from plastic.

Order no. 6.392-965.0



### ABS automatic stainless steel hose drum

High-grade, automatic steel hose reel. Especially suitable for use in the food industry. The material and finish provide for a corrosion-resistant, watertight capsuled sprung drive. Connection for HP hoses with nipple.

Order no. 2.641-866.0



### ABS pivoting stainless steel wall bracket

Swivelling wall bracket made of high-grade steel (for 2.641-866). This makes maximum flexibility and convenience possible when working with the HP hose.

Order no. 2.641-867.0



## Backflow check valve

### Backflow preventer

To prevent detergent getting into the drinking water cycle in case of inlet at low-pressure. - hot water resistant up to 80 °C - tested according to IEC 60335-2-79 - integrated leakage protection

Order no. 2.641-374.0



## Barrel and tank cleaning

### Barrel cleaner BC 14/12

The BC 14/12 is a spray system for the efficient interior cleaning of containers and barrels, specially oak barrels with a volume of between 225 and 600 litres. One cleaning cycle is completed within 36 seconds and every spot in the container is covered by a water jet. After cleaning is finished the BC 14/12 can easily and conveniently take up the dirty water. The transformer included with the BC 14/12 makes it possible to use it worldwide (110 - 240 V, 50 - 60 Hz). The nozzle kits included make possible use with high-pressure cleaners with a water volume of 600 to 1400 l / h. Electrical components are protected in accordance with IP 55.

Order no. 2.641-740.0



## Boron carbide nozzle

### Boron carbide nozzle, for machines up to 1,000 l/h

In addition to nozzle packs. Very wear-resistant nozzle with boron carbide chuck for continuous-duty operation.

Order no. 6.415-084.0



## Cleaning agent injector

### Cleaning agent injector for high pressure (without nozzle)

Cleaning agent dosage at high pressure 3 - 5 %

Order no. 3.637-170.0



## Connector

### Nozzle screws / screw socket

Nozzle connector/screw connector for connecting high-pressure nozzles and accessories to the high-pressure trigger gun (with nozzle connector). Connectors: 1x M 22 x 1.5 and 1x M 18 x 1.5.

Order no. 4.402-022.0



## Coupling

### Coupling

Brass double connector for connecting and extending high-pressure hoses. With rubber protection. Connector: 2x M 22 x 1.5 m.

Order no. 4.403-002.0



## Cup foam lance

### Cup foam lance

Short, handy foam lance with adjustable spray angle with 1 litre detergent tank. Ideal for cleaning cars due to its compact design.

Order no. 6.394-668.0



### 1-litre cleaning agent container for foam lance

Order no. 6.414-954.0



## Dirt blaster, large

### Dirt blaster

The dirt blaster with rotating pencil jet offers 10 times better cleaning performance. Ceramic nozzle and bearing ring for a long service life. Further data: Max. 300 bar, 30 MPa, 85°C.

Order no. 4.763-931.0



## Dirt Blaster, small

### Dirt blaster

Small rotary nozzle for dirt blaster. The rotating point jet achieves 10 times the cleaning performance. Outstanding working time thanks to ceramic nozzle and bearing ring. Max. 180 bar/18 MPa, 60°C.

Order no. 4.767-022.0



## Double lance

### Double lance 960 mm

960 mm double lance for variable pressure adjustment on handle at full water flow rate. Suitable for agricultural use ( e.g. stable cleaning).

Order no. 6.394-665.0



## Easy Foam Set

### Easy Foam Set with RM injector

HP foam system for use with. HD/HDS units for cleaning and disinfecting. Foam nozzle for connection to lance and HP chemical injector with precision 0-5% metering valve. The machine specific nozzle kit has to be ordered separately.

Order no. 2.640-691.0



## Easy Press high-pressure trigger gun with holding force reduction (Kärcher patent)

### Easy Press HP trigger gun with soft grip

Easy press high-pressure trigger gun with softgrip. For high-pressure hoses DN 6 and DN 8 with 11 mm swivel diameter.

Order no. 4.775-463.0



## Flexible spray lance

### Flexible lance 1050 mm

1050 mm flexible lance with variable bend from 20° to 140°, ideal for cleaning difficult to reach areas, e.g. gutters.

Order no. 6.394-654.0



## Foam nozzle mounting kit

### Foam nozzle attachment kit

Foaming agent kit. The foam nozzle is ideal for use in sanitary areas and the food industry and wherever long application times are necessary.

Order no. 2.637-926.0



## Food industry version

### High-pressure hose, 15 m, ID 6, AVS trigger gun connector 11 mm, suitable for food industry, grey

15 m high-pressure hose (DN 6) with patented (rotating) AVS trigger gun connector. Non-discolouring outer layer for use in the food industry. DN 6/155°C/250 bar.

Order no. 6.391-654.0



## Food industry version with unions on both sides

### High-pressure hose, 10 m, DN 8, suitable for the food industry, extension piece

10 m high-pressure hose (DN 8) with patented (rotating) AVS trigger gun connector. Non-discolouring outer layer for use in the food industry. M 22 x 1.5 with anti-kink sleeve.

Order no. 6.389-479.0



### High-pressure hose, 20 m, ID 8, suitable for food industry, extension piece

20 m high-pressure hose (DN 8) with swivel coupling. Non-discolouring outer layer for use in the food industry. Connectors at both ends, M 22 x 1.5, with kink protection. NW 8/155°C/250 bar.

Order no. 6.389-581.0



## FR 30 Me surface cleaner

### Hard surface cleaner FR 30 Me

Hot water resistant stainless steel surface cleaner with double ceramic bearings, non-marking swivel castors and suction hose connection. Ideal for indoor cleaning, e.g. food industry.

Order no. 2.640-355.0



## FR Classic surface cleaner

### FR Classic surface cleaner

The ideal entry-level model in the Kärcher surface cleaner range for cleaning surfaces indoors and outdoors. With splash guard and up to 150 bar working pressure.

Order no. 2.643-476.0



## FRV 30 Me surface cleaner

### FRV 30 Me

Order no. 2.642-911.0



## FRV 30 Me surface cleaner

### FRV 30 Me extension hose

Order no. 4.441-040.0



## Geka coupling

### Geka connector with hose barb, R 1/2" with hose liner

Order no. 6.388-461.0



### Geka connector with hose barb, R 3/4" with hose liner

Order no. 6.388-455.0



### Geka connector with inner thread, R 3/4" with female thread

Order no. 6.388-473.0



## Gutter cleaner

### Gutter cleaning lance

The lance is suited for cleaning of gutter systems. Because of the shape of the lance and the special nozzle the gutter can be cleaned without removing the cover plates.

Order no. 2.642-305.0



## Hard surface cleaner FR 30

### Hard surface cleaner FR 30

Order no. 2.642-997.0





## Hard surface cleaner FRV 30

### FRV 30 surface cleaner

Order no. 2.642-999.0



### Rubber lip for FRV 30

For smooth floors indoors. The squeegee increases the suction performance of the FRV 30 and minimises the amount of water remaining. This means the floor is dry in just a few minutes.



Order no. 2.642-910.0

### Extension hose 5 m

5m extension hose for FRV 30. Connection sleeve included.

Order no. 4.440-939.0



### ABS hose fastening

Order no. 2.642-528.0



### ABS dirt trap

Order no. 2.642-532.0



## Inaktiv

### Push-on wash brush

Order no. 4.762-328.0



## Inaktiv

### Spray lance, 2,050 mm, swivelling, ergonomical

Spray lance, 2,050 mm, swivelling, ergonomical

Order no. 4.760-366.0



## Rotary coupling

Order no. 4.401-076.0



## Inno Foam Kit

### Inno Foam Set with detergent injector

High-pressure foam system with double lance (foam nozzle and high-pressure jet for rinsing). For use with mobile and stationary high-pressure and HDS pressure cleaners for cleaning or disinfection.

Order no. 2.640-151.0



## Longlife 400

### Longlife 400 high-pressure hose, 10 m, DN 6, M 22 x 1.5

With patented AVS connection in the trigger gun (pivot-mounted).

Order no. 6.391-882.0



### Longlife 400 high-pressure hose, 10 m, DN 8,

Order no. 6.391-351.0



## Longlife 400 with unions on both sides

### High-pressure hose 1.5 m, ID 8, including connectors

1.5 m high-pressure hose (DN 8, M 22 x 1.5) with kink protection and connectors at both ends. For connecting to hose reels with appropriate connector (M 22 x 1.5).

Order no. 6.390-178.0



### High-pressure hose Longlife 400, 10 m, ID 8, including rotary coupling



### Longlife 400 with unions on both sides

10 m high-pressure hose Longlife 400 (DN 8) with rotary coupling, two layer high-strength steel wire reinforced. Connectors at both ends. M 22 x 1.5, with kink protection.

Order no. 6.388-083.0

### High-pressure hose Longlife 400, 20 m, ID 8, extension

with rotary coupling, 2 x M 22 x 1.5

Order no. 6.390-027.0



### High pressure hose ID 6, 10 m, including rotary coupling

With rotary coupling, 2 x M 22 x 1,5

Order no. 6.391-883.0



### Longlife 400 high-pressure hose, 10 m, DN 8, extension piece

Order no. 6.391-354.0



### High-pressure hose Longlife 400, 15 m, ID 8, including rotary coupling

With rotary coupling, 2 x M 22 x 1.5

Order no. 6.389-709.0



### High-pressure hose Longlife 400, 30 m, ID 8, including rotary coupling

With rotary coupling, 2 x M 22 x 1.5

Order no. 6.390-294.0



### Longlife food design

#### High-pressure hose Longlife 400, 15 m, ID 6, AVS trigger gun connection

Longlife HP hose for use in the food industry. Außendecke## animal-grease-resistant, non-colour-bleeding material. With patented AVS connection in the pistol (pivot mounted)

Order no. 6.391-888.0



### Longlife food design with screw connections at both ends

#### High pressure hose food ID 8, 10 m

Longlife HP hose for use in the food industry. Außendecke## animal-grease-resistant, non-colour-bleeding material. With rotary coupling, 2 x M 22 x 1,5

Order no. 6.391-864.0



## Longlife food design with screw connections at both ends

### High-pressure hose food industry 400 bar, 20 m, ID 8, including rotary coupling

Longlife HP hose for use in the food industry. Außendecke animal-grease-resistant, non-colour-bleeding material. With rotary coupling, 2 x M 22 x 1,5

Order no. 6.391-887.0



## Machine-specific nozzle kit with order no. 3.637-170.0

### Nozzle kit HD 500–700 l/h

For HD 500 - 700 l/h. Consists of nozzle insert + HP power nozzle + union

Order no. 4.769-045.0



## Machine-specific nozzle kits for FR

### Nozzle kit for surface cleaners

Nozzle kit includes power nozzles and unions. For Kärcher surface cleaners (500 to 650 l/h).

Order no. 2.640-401.0



## Machine-specific nozzle kits for FR Classic

### Nozzle kit for FR Classic 034

Nozzle kit specifically for FR Classic surface cleaner.

Order no. 2.885-313.0



## Machine-specific nozzle kits for FRV

### Nozzle kit 035 – for FRV 30

Order no. 2.642-430.0



## Nozzle kits for Inno/Easy Foam Set

### Nozzle kit 055 for Inno / Easy Set 500–600 l/h

Optimal adaptation to different machine outputs for economic use.

Order no. 2.640-870.0



## Nozzle kits for wet jet unit

### Nozzle kit for wet jet unit 035

Nozzle kit with wet blasting nozzle and nozzle insert (type specific). For optimal Kärcher wet blasting attachment performance. Only in combination with wet blasting attachment 4.762-010/-022.

Order no. 2.638-526.0



## Nozzle union

### Nozzle connector

For protecting and connecting Kärcher power nozzles to spray lances (M 18 x 1.5 IG).

**Order no. 5.401-210.0**



## Pipe cleaning hose, ID 6

### Pipe cleaning hose, DN 6, 20 m, max. 120 bar

The 20 m pipe cleaning hose is a highly flexible high pressure hose for pipe interior cleaning (threaded connection for nozzle R 1/8).

**Order no. 6.390-028.0**



### Pipe cleaning hose, DN 6, 30 m, max. 120 bar

30 m flexible high-pressure hose (DN 6) for cleaning pipes (threaded connection for R 1/8 nozzle).

**Order no. 6.390-029.0**



## Pipe cleaning nozzle

### Pipe cleaning nozzle

16 mm pipe cleaning nozzle with internal thread. Various jet directions for environmentally-friendly cleaning of blocked drains and pipes.

**Order no. 5.763-015.0**



### Pipe cleaning nozzle

16 mm pipe cleaning nozzle with internal thread. Various jet directions for environmentally-friendly cleaning of blocked drains and pipes.

**Order no. 5.763-016.0**



### Pipe cleaning nozzle

Pipe cleaning nozzle with inner thread. Different spray directions. The hose moves freely through the pipe. (R 1/8" connection, 3 x 30° backwards, diameter 30 mm.)

**Order no. 5.763-017.0**



### Rotating pipe cleaning nozzle

Pipe cleaning nozzle with four rotating jets and inner thread. Different spray directions. The hose moves freely through the pipe. With R 1/8" connection.

**Order no. 6.415-428.0**



## Pipe cleaning nozzle

### Pipe cleaning dirt blaster D 25 / 040

The forward-tilted rotating pencil jet removes the most stubborn dirt. The three backwards-tilted jets ensure the necessary forward movement, as well as convenient handling.

**Order no. 6.415-944.0**



### Pipe cleaning dirt blaster D 30 / 040

The forward-tilted rotating pencil jet removes the most stubborn dirt. The three backwards-tilted jets ensure the necessary forward movement, as well as convenient handling.

**Order no. 6.415-946.0**



### Pipe cleaning dirt blaster D 35 / 040

The forward-tilted rotating pencil jet removes the most stubborn dirt. The three backwards-tilted jets ensure the necessary forward movement, as well as convenient handling.

**Order no. 6.415-948.0**



### Pipe cleaning nozzle

16 mm pipe cleaning nozzle with internal thread. Various jet directions for environmentally-friendly cleaning of blocked drains and pipes.

**Order no. 5.763-015.0**



### Pipe cleaning nozzle

Pipe cleaning nozzle with inner thread. Different spray directions. The hose moves freely through the pipe. (R 1/8" connection, 3 x 30° backwards, diameter 30 mm.)

**Order no. 5.763-017.0**



## Power nozzle spray angle 25°

### Power nozzle spray angle 25°

Fan jet nozzle with 25° spray angle, suitable for large areas and removing stubborn dirt and stains.

**Order no. 2.883-803.0**



## Power nozzle spray angle 25°

25° power nozzle for cleaning agent suction

Order no. 2.884-521.0



## Push-on washing brush

### Push-on washing brush

Push-on wash brush for universal use. Simply push on to lance. Connector: M 18 x 1.6.

Order no. 4.762-016.0



### Push-on wash brush

The wash brush is fitted directly onto the devices' new dual and triple nozzles using clamping.

Order no. 4.762-497.0



## Quick connect

### Quick coupling

For quick change of different spray lances and accessories. Optimum adaption to Kärcher accessories, especially for connection between trigger gun and spray lance. With M22 x 1,5 female.

Order no. 6.401-458.0



### Male coupling

Hardened stainless steel nipple for quick coupling 6.401-458. With M22 x 1,5 male.

Order no. 6.401-459.0



## Rollover nozzle holder

### Rollover nozzle holder

Rollover nozzle holder for contactless changeover from pencil jet to fan jet as well as low-pressure detergent injection via knurled nut. Without nozzle insert. (Additional type-specific power nozzle).

Order no. 4.764-012.0



## Rotary coupling

### Rotary coupling

Kärcher rotary coupling prevents twisting and kinking of high-pressure hoses for ease of use. Connector M 22 x 1.5 m. With grip protection.

Order no. 4.401-091.0



## Rotating spray lances

### 850 mm spray pipe, rotatable

850 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.

Order no. 4.760-663.0



### 600 mm spray pipe, rotatable

600 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.

Order no. 4.760-664.0



### 1050 mm spray pipe, rotatable

1050 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.

Order no. 4.760-660.0



### 1550 mm spray pipe, rotatable

1550 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.

Order no. 4.760-661.0



### 2050 mm spray pipe, rotatable

2050 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.

Order no. 4.760-662.0



## Rotating washing brush

### Rotating wash brush for 800 l/h machines, natural hair bristles

Order no. 4.762-560.0





## Rotating washing brush

### Rotating wash brush for 800 l/h machines, nylon bristles

The rotating wash brush gently removes fine dust and grime from all surfaces. Heat-resistant up to 80°C. (M 18 x 1.5, replaceable brush insert).

Order no. 4.762-561.0



## Spacer (including nozzle union)

### Spacer (includes nozzle screws)

Guarantees constant safety clearance, e.g. for tyres and bodywork. Helps prevent damage to sensitive surfaces. Mounts directly to lance.

Order no. 5.394-294.0



## Special hoses

### High-pressure hose 1.5 m, ID 8, including connectors, outlet bend

Order no. 6.388-886.0



## Spray lance

### 250 mm lance, non-rotatable

250 mm stainless steel lance. With manual coupling. Non-rotatable.

Order no. 4.760-667.0



## Spray lances

### Vibrasoft lance

The spring-loaded 360° loop handle significantly reduces the vibrations on the spray lance, reducing the physical burden on the user, e.g. when working with the dirt blaster.

Order no. 6.415-951.0



## Standard

### High-pressure hose, 10 m, ID 6, AVS trigger gun connector

10 m high-pressure hose (M 22 x 1.5) with kink protection. With patented rotating AVS trigger gun connector and manual coupling. Further data: DN 6/155°C/250 bar.

Order no. 6.391-238.0



## Standard

### High-pressure hose, 15 m, ID 6, AVS gun connection

Order no. 6.391-394.0



### High-pressure hose, 10 m, ID 8, AVS trigger gun connector

10 m high-pressure hose (M 22 x 1.5) with kink protection. With patented rotating AVS trigger gun connector and manual coupling. Further data: DN 8/155°C/315 bar.

Order no. 6.390-025.0



### High-pressure hose, 15 m, ID 8, AVS trigger gun connector

15 m high-pressure hose (M 22 x 1.5) with kink protection. With patented rotating AVS trigger gun connector and manual coupling. Further data: DN 8/155°C/315 bar.

Order no. 6.390-185.0



### High-pressure hose, 20 m, ID 8, AVS trigger gun connector

20 m high-pressure hose (M 22 x 1.5) with kink protection. With patented rotating AVS trigger gun connector and manual coupling. Further data: DN 8/155°C/315 bar.

Order no. 6.390-171.0



### High-pressure hose, 10 m, ID 6, 300 bar, AVS trigger gun connection

With patented AVS connection in the trigger gun (pivot-mounted) and hand screw union. M 22 x 1.5 with anti-kink protection. NW 6/155°C/300 bar

Order no. 6.391-875.0



## Standard with unions on both sides

### High-pressure hose, 15 m, ID 8, 315 bar, including rotary coupling

Order no. 6.390-010.0



### High-pressure hose, 20 m, ID 8, 315 bar, extension piece

Order no. 6.390-031.0



## Standard with unions on both sides

High-pressure hose, 15 m, ID 10, 220 bar, extension piece

Order no. 6.390-023.0



High-pressure hose, 10 m, ID 8, 315 bar, extension piece

Order no. 6.391-342.0



High-pressure hose, 30 m, ID 8, including rotary coupling

Order no. 6.390-293.0



## Starting current limiter

**Starting current limiter**

Reduces starting current in single-phase supply and protects line fuse.

Order no. 2.637-495.0



## Suction filter

**Suction filter with check valve**

Brass suction filter suitable for ponds, storage tanks, etc. With check valve.

Order no. 4.730-012.0



**Water suction filter**

Order no. 6.414-956.0



## Telescopic spray lance

**Telescopic spray lance**

Order no. 6.394-690.0



**Strap for telescopic spray pipe**

Convenient strap for relief when working with the telescopic spray lance (6.394-690). The burden is optimally distributed on the body and longer periods of use are possible.

Order no. 6.373-987.0



## Trigger guns

### High-end HP trigger gun

Order no. 4.775-823.0



## Triple nozzle, touchless changeover

### Triple nozzle, touchless changeover

Triple nozzle with high-pressure pencil jet (25°) and low-pressure fan jet (40°). Fast and easy jet changeover by turning the nozzle.

Order no. 4.767-001.0



## Triple nozzles

### Triple nozzle 034

Triple nozzle with manual nozzle changeover. Convenient spray adjustment. For high-pressure cleaners with injector; low-pressure fan jet for detergent removal and application. Connector M 18x1.5.

Order no. 4.767-147.0



## Undercarriage spray lance

### Underbody lance

Stainless steel lance for effective and easy underbody and wheel arch cleaning. Without high-pressure nozzle.

Order no. 4.760-245.0



## Variable pressure spray lance

### Variable pressure spray lance

670 mm variable pressure lance with integrated pressure gauge. Variable pressure adjustment on the handle. Nozzle connector: M 24 x 1.5. Low pressure detergent application.

Order no. 4.760-362.0



### Variable pressure lance

1040 mm pressure adjustable lance with integrated pressure gauge. Variable pressure adjustment on the handle. Nozzle connector: M 24 x 1.5. Low pressure detergent application.

Order no. 4.760-230.0



## Water fine filter

### Water fine filter, with adapter

Fine-mesh water filter, 125 µm, max. temperature 50°C. Protects the high-pressure cleaner from dirt particles contained in the water. Water flow rate up to 1200 l/h. Connection 3/4", with adapter, 1".

Order no. 4.730-102.0



## Water supply hose

### Water supply hose

NW 13 R1" / R 3/4", up to 30 °C

Order no. 4.440-038.0



### Water supply hose

NW 19 R1" / R 3/4", up to 85 °C, for pick-up

Order no. 4.440-207.0



## Wet blasting attachment (without nozzle)

### Wet blasting attachment with flow control (without nozzles)

Paint, rust and scale removal made easy: Kärcher wet blasting attachment with flow control for adding blasting abrasive to the high-pressure jet.

Order no. 4.762-010.0



### Wet blasting attachment without flow control (nozzles not included)

Paint, rust and scale removal made easy: Kärcher wet blasting attachment with flow control for adding blasting abrasive to the high-pressure jet. Without flow control.

Order no. 4.762-022.0

