



B 60/10 C

The B 60/10 C stands for a new kind of floor cleaning. It cleans and vacuums all smooth floor coverings - without electricity. Hygienic, efficient, safe and user-friendly.





1 Operates without electricity

- No annoying cord.
- Unlimited run time.

2 Dirty water is vacuumed

- Leaves floors dry after cleaning.
- Lower risk of slipping.

3 Simple and intuitive operation


- Easy to use.
- No training necessary.

4 60-cm-wide pad with squeegee blade

- Highly efficient in open areas.
- The area performance is comparable to a 43 cm scrubber drier: works five times faster than with a mop and bucket.

TECHNICAL DATA AND EQUIPMENT





B 60/10 C


- Operates without electricity
- Very efficient
- Extremely quiet

Technical data		
Order No.		1.006-706.0
EAN code		886622011576
Brush working width	mm	630
Working width, vacuuming	mm	600
Fresh/dirty water tank	I	10 / 10
Max. area performance	m²/h	2400
Weight	kg	21
Dimensions (L × W × H)	mm	1356 × 635 × 1311
Equipment		
		_

Equipment	
Two-tank system	
Transport wheels	1
Squeegees, curved	I

■ Included in delivery.





		Order No.	Length	Colour	Quanti- ty	Price	Description
Squeegees for suction bars							
Suction lip	1	8.637-945.0	790 mm	white	1 piece(s)		Made from wear-resistant polyurethane Very durable and oil-resistant.
Squeegee	2	8.637-590.0	790 mm	red	1 piece(s)		[

lacksquare Included in delivery. \Box Available accessories.







	T			ı	1	1	
		Order No.	Length	Colour	Quanti- ty	Price	Description
Home Base accessories							
Mop hook	1	8.637-540.0			1 piece(s)		Dedicated hook for a mop or brush means they have their own place directly on the unit and are always ready to hand.
Miscellaneous							
Filling hose	2	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.
RM Dosierstation							
DS 3 Cleaning Agent Dosing Station	3	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).

[■] Included in delivery.

□ Available accessories.







		Order No.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Pads									
Pad	1	8.637-592.0							
	2	8.637-944.0	soft	635 mm	white	5			
						piece(s)			╝

 $[\]blacksquare$ Included in delivery. \qed Available accessories.



		Order No.	Length	Diameter	Quanti- ty	Price	Description
Other attachment kits							
KIT, HYGIENE ACC, AUTOMOP	1	8.637-949.0					
KIT, PRODUCTIVITY ACC, AUTOMOP	2	8.637-950.0					
KIT, DETAIL ACC, AUTOMOP	3	8.637-951.0					

[■] Included in delivery.

□ Available accessories.