

# NT 27/1 Me Professional

The NT 27/1 Me is a powerful wet/dry vacuum cleaner for professional users. It is exceptionally compact and comes with a stainless steel container and a number of useful accessories.

- Suction hose 2.5 m
- Suction tubes, metal 2 x 0.5 m
- Filter bag Paper
- Wet and dry floor nozzle 300 mm
- Crevice nozzle
- Cartridge filter
- Cartridge filter Paper
- Sturdy bumper
- Protection class II

**Order number: 1.428-106.0**



Air flow (l/s)	67
Vacuum (mbar/kPa)	200/20
Container capacity (l)	27
Max. rated input power (W)	max. 1380
Standard nominal width	35
Cord length (m)	7.5
Sound pressure level (dB(A))	72
Container material	
Number of motors	1
Frequency (Hz)	50-60
Voltage (V)	220-240
Weight (kg)	8.2
Dimensions (L x W x H) (mm)	420x420x540

#### Robust metal latches

These extremely robust latches lock more reliably.

#### Float system

The float system interrupts the suction flow after reaching the maximum capacity.

#### Ergonomic carrying handle

The ergonomic carry handle with suction tube storage is designed for easy and convenient transport including accessories.

#### Robust bumper

A bumper protects the vacuum as well as walls, machines and other items against damage.

---

## Accessories

### Adaptor for electric power tools, screwable

#### Adaptor for electric power tools, screwable, ID 35

3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.

Order number 5.453-016.0



#### Adaptor for electric power tools, screwable, ID 35

Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.

Order number 5.453-026.0



#### Adaptor for electric power tools, screwable, ID 35

Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm. External diameter: 39 mm.

Order number 6.902-059.0



#### Adaptor for electric power tools, screwable, ID 35

2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mm Suitable for NT vacuum cleaners.

Order number 6.902-095.0



### All-purpose brushes

#### All-purpose brush

All-purpose brush PPN\_Bristle

Order number 6.900-425.0



#### All-purpose brush

Natural bristles (ox hair), bristle element 120 x 45 mm.

Order number 6.903-863.0



### Bend, plastic

#### Plastic bend

Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).

Order number 5.031-718.0



#### Plastic bend

Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.



## Bend, plastic

Order number 5.031-939.0

### Plastic bend, ID 35

Plastic, ID 35.



Order number 6.902-009.0

### Plastic bend

Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.

Order number 5.032-427.0



### Plastic bend

Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.

Order number 5.031-904.0



## Bends, metal

### Bend, ID 35, metal

Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).

Order number 6.900-519.0



### Bend, ID 40, metal

Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).

Order number 6.900-276.0



## Bends, stainless steel

### Bend, stainless steel, ID 35

Stainless steel and crooked, ID 35

Order number 6.903-141.0



### Bend, stainless steel, ID 40

Stainless steel and crooked, ID 40

Order number 6.902-079.0



## Car cleaning nozzles

### Car nozzle

Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.

Order number 6.900-952.0



### Car nozzle DN35

Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.

Order number 6.906-108.0



## Cartridge filter paper

### Cartridge filter

Paper cartridge filter with larger filter surface, standard for NT 48/1 and optional for NT 27/1/Me Advanced.

**Order number 6.414-789.0**



## Combi-nozzles, dry

### Combi-nozzle (dry)

Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.

**Order number 6.906-511.0**



## Complete suction hoses (clip system)

### Suction hose C DN35

2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.

**Order number 4.440-626.0**



### Suction hose

2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.

**Order number 4.440-653.0**



## Connecting sleeves

### Adaptor, ID 32/35, with internal thread

Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.

**Order number 6.902-077.0**



## Connection adaptor C ID (clip to cone), electrically conductive

### Connection adaptor C DN 35

C 35 hose connector for DN 35 accessory, electrically conductive.

**Order number 5.407-112.0**



### Connection adaptor C DN 40

Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.

**Order number 5.407-109.0**



### Connection adaptor C DN 40

C 40 hose connector for DN 40 accessory, electrically conductive.

**Order number 5.407-111.0**



## Connection Adaptor for electric power tools, clip-on, electrically conductive

### Connection Adaptor for power tools, C 35, electrically conductive

3-way plastic adaptor. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.

Order number 5.453-042.0



### Connection Adaptor for power tools, C 35, electrically conductive

Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.

Order number 5.453-048.0



### Connection Adaptor for power tools, C 35, electrically conductive

Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.

Order number 5.453-049.0



### Connection Adaptor for power tools, C 35, electrically conductive

Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.

Order number 5.453-050.0



### Connection Adaptor for power tools, C 35, electrically conductive

Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.

Order number 5.453-051.0



### Connection Adaptor for power tools, C 35, electrically conductive

Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.

Order number 5.453-052.0



## Crevice nozzles

### Crevice nozzle DN35

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.

Order number 6.900-385.0



### Crevice nozzle

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.

Order number 6.900-922.0



### Crevice nozzle DN40

Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.

Order number 6.903-033.0



## Crevice nozzles

### Crevice nozzle DN40

Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.



Order number 6.905-817.0

### Crevice nozzle DN35

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.



Order number 6.906-240.0

## Crevice tools

### Grout nozzle, synthetic

Grout nozzle, plastic, 370 mm

Order number 6.900-222.0



### Grout nozzle, stainless steel

Grout nozzle, stainless steel, 400 mm

Order number 6.900-926.0



## Extension hoses (clip system)

### Extension hose, C 32 and C 35 clip system

Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.

Order number 6.906-237.0



## Fabric filter

### Membrane filter

Polyester needle fleece membrane/fabric filter, washable up to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/Professional.

Order number 6.906-103.0



## Floor nozzles

### Floor tool DN35

All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.

Order number 6.906-512.0



### Wet and dry floor nozzle

Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. Squeegee and brush are quick and easy to change.

Order number 2.889-118.0



### Floor tool DN40-370

All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

Order number 6.903-018.0



## Floor nozzles

### Floor tool neutrally DN40

All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.



**Order number 6.906-383.0**

### Floor tool neutrally DN35

All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.



**Order number 6.906-384.0**

### Floor tool DN35

All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.



**Order number 6.906-513.0**

### Floor tool DN40

All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.



**Order number 6.906-554.0**

## Micro sprayer sets

### Nozzles set DN35

Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)

**Order number 2.860-116.0**



## Miscellaneous

### Extension cable

Extension cable, 20 m, 3x1.5 mm<sup>2</sup>. With splash-proof earthing pin plug, strain relief and anti-kink sleeve.



**Order number 6.647-022.0**

## Other nozzles

### Rubber suction nozzle, 45°

Angled 45°, for suction of machines, oil-resistant

**Order number 6.902-106.0**



### Aluminium surface nozzle

Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper



**Order number 4.130-415.0**



## Paper filter bags (two-ply)

### Filter bags 5St.

5 paper filter bags. BIA-(U, S, G, C) dust class M. Suitable for NT 27/1/Me Advanced.



Order number 6.904-290.0

## Pipe dusting nozzles

### BRUSH

Plastic, pipe diameter 100 mm

Order number 6.903-035.0



### BRUSH

Plastic, pipe diameter 200 mm

Order number 6.903-036.0



## Radiator brushes

### Brush heating element

Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.

Order number 6.903-034.0



## Reducers (tube -> nozzle)

### Reducer

Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.

Order number 6.902-017.0



### Reducer from ID 35 to ID 32

Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.

Order number 6.902-072.0



## Reducing sleeves

### Reducer

Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.

Order number 5.407-108.0



### Sleeve C40 / C35

Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.

Order number 5.407-113.0



## Reduction/expansion adapter kit

### Set of reducers / adapter sleeves

DN 40/35, DN 35/32 (tube -> nozzle), plastic.

Order number 2.860-117.0



## Repair kits

### Repair kit, C 35

Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.

Order number 2.639-682.0



## Rubber suction tools, nose 45°

### Rubber suction tool, nose 45°

45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.



**Order number 6.902-104.0**

### Rubber suction tool, nose 45°

45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.



**Order number 6.902-105.0**

## Suction brushes

### Suction brush DN35

Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.



**Order number 6.903-862.0**

## Suction hoses (clip system)

### Suction hose

4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.



**Order number 6.906-241.0**

### Suction hose

2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.



**Order number 6.906-275.0**

### Suction hose

4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.



**Order number 6.906-500.0**

## Suction hoses complete

### Suction hose, complete

Standard, 4.0m, ID 35

**Order number 4.440-287.0**



## Suction tubes, metal

### Suction tube DN35

Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.

**Order number 6.900-514.0**



### Suction tube

Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.



**Order number 6.900-275.0**

## Suction tubes, plastic

### Suction tube, ID 35

Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.

Order number 6.900-384.0



## Suction tubes, stainless steel

### Suction tube, ID 40

Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.

Order number 6.902-081.0



### Suction tube, ID 40

Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.

Order number 6.906-531.0



### Suction tube, ID 35

Order number 6.902-154.0



## Turbo nozzles

### Upholstery nozzle TURBO

Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.

Order number 2.860-113.0



### Floor tool TURBO DN 35/32

Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.

Order number 2.860-114.0



## Wet filter bag

### Wet filter bag

Approved for dust class L, general cleaning, wet and dry, tear-resistant.

Order number 6.904-171.0

