

## NT 45/1 Tact

The NT 45/1 Tact is a handy and strong wet/dry vacuum cleaner for commercial applications. It is equipped with the innovative and patented auto filter cleaning system TACT. The NT 45/1 Tact provides full accessory that can easily be retained in the integrated accessory storage.

- Suction hose 2.5 m
- Filter bag Fleece
- Wet and dry floor nozzle 300 mm
- Crevice nozzle
- Auto shutdown when max. level is reached
- Eco filter system
- Flat pleated filter Paper
- Protection class II
- Castor with brake
- Filter cleaning Tact filter cleaning
- Maintenance-free suction turbines 1 piece(s)



**Order number: 1.145-830.0**

Air flow rate (l/s)	74
Vacuum (mbar/kPa)	254/25.4
Container capacity (l)	45
Max. power rating (W)	1380
Standard nominal width (mm)	35
Cable length	-
Sound pressure level (db(A))	69
Container material	
Quantity of motors	1
Frequency (Hz)	50-60
Voltage (V)	220-240
Weight (kg)	12.5
Dimensions (L x W x H) (mm)	520x380x695

## Accessories

### Adapter for electric power tools, screwable

#### Power tool adapter, threaded, ID 35

3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.

Order number 5.453-016.0



#### Power tool adapter, threaded, ID 35

Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.

Order number 5.453-026.0



#### Power tool adapter, threaded, ID 35

Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm. External diameter: 39 mm.

Order number 6.902-059.0



#### Power tool adapter, threaded, ID 35

2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mm Suitable for NT vacuum cleaners.

Order number 6.902-095.0



### All-purpose brushes

#### All-purpose brush

Natural bristles (ox hair), bristle element 120 x 45 mm.

Order number 6.903-863.0



### Bends, metal

#### Bend, ID 35, metal

Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).

Order number 6.900-519.0



#### Bend, ID 40, metal

Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).

Order number 6.900-276.0



### Bends, stainless steel

#### Bend, stainless steel, ID 35

Stainless steel and crooked, ID 35

Order number 6.903-141.0



## Bends, stainless steel

### Bend, stainless steel, ID 40

Stainless steel and crooked, ID 40

Order number 6.902-079.0



## Coarse dirt filter for wet vacuuming

### Coarse dirt filter

Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K KF models.

Order number 6.904-287.0



## Combi-nozzles, dry

### Combi-nozzle (dry)

Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.

Order number 6.906-511.0



## Complete suction hoses (clip system)

### Suction hose

2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.

Order number 4.440-626.0



### Suction hose

2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.

Order number 4.440-653.0



## Connecting sleeves

### Adapter, ID 32/35, with internal thread

Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.

Order number 6.902-077.0



### Adapter, ID 40, with internal thread

Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.

Order number 6.900-286.0



### Connecting sleeve, ID 61, with female thread

For connecting 2 suction hoses, thread on both sides

Order number 6.902-078.0



## Connection bushing C DN (clip to cone), electrically conductive

### C-ID 35 adapter

C 35 hose connector for DN 35 accessory, electrically conductive.

Order number 5.407-112.0



## Connection bushing C DN (clip to cone), electrically conductive

### C 40 adapter

Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.



**Order number 5.407-109.0**

### C-ID 40 adapter

C 40 hose connector for DN 40 accessory, electrically conductive.

**Order number 5.407-111.0**



## Connection bushing for electric power tools, clip-on, electrically conductive

### Connection bushing for power tools, C 35, electrically conductive

Inside  $\varnothing$  25.4 mm, outside  $\varnothing$  34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.

**Order number 5.453-048.0**



### Connection bushing for power tools, C 35, electrically conductive

Inner  $\varnothing$  28.6 mm, outer  $\varnothing$  37.3 mm/ 38.8 mm, el. Only NT-vacuums.

**Order number 5.453-049.0**



### Connection bushing for power tools, C 35, electrically conductive

Inside  $\varnothing$  27 mm, outside  $\varnothing$  36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.

**Order number 5.453-050.0**



### Connection bushing for power tools, C 35, electrically conductive

Inner  $\varnothing$  32 mm, outer  $\varnothing$  39 mm, el. Only NT-vacuums.

**Order number 5.453-051.0**



### Connection bushing for power tools, C 35, electrically conductive

Inner  $\varnothing$  28 mm, outer  $\varnothing$  34 mm/ 38.8 mm, el. Only NT-vacuums.

**Order number 5.453-052.0**



## Crevice nozzles

### Crevice tool

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.

**Order number 6.900-385.0**



## Crevice nozzles

### Crevice tool

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.

**Order number 6.900-922.0**



### Crevice tool

Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.

**Order number 6.903-033.0**



### Crevice tool

Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.

**Order number 6.905-817.0**



### Crevice nozzle

Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.

**Order number 6.906-240.0**



## Expansion pieces (pipe -> nozzle)

### Adapter ID 35–40 (tube -> nozzle)

From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.

**Order number 6.902-084.0**



## Extension hoses (clip system)

### Extension hose, C 32 and C 35 clip system

Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.

**Order number 6.906-237.0**



### Extension hose, C 32 and C 35 clip system, electrically conductive

for all C-32 and C-35 hoses, electrically conductive.

**Order number 6.906-277.0**



## Fabric filter

### Membrane filter

Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.

**Order number 6.904-212.0**



## Flat pleated filter, paper

### Flat pleated filter

Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.

**Order number 6.904-367.0**



## Flat pleated filter, PES

### Flat pleated filter, PES

Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.

**Order number 6.904-360.0**



## Floor nozzles

### Wet and dry floor nozzle, DN 35, 300 mm

All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.

**Order number 6.906-512.0**



### Multi-purpose nozzle, wet/dry

All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

**Order number 6.903-018.0**



### Multi-purpose nozzle, wet/dry

All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.

**Order number 6.906-383.0**



### Multi-purpose nozzle, wet/dry

All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.

**Order number 6.906-384.0**



### Multi-purpose nozzle, wet/dry

All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

**Order number 6.906-513.0**



### Multi-purpose nozzle, wet/dry, plastic, DN 40, 360 mm

All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

**Order number 6.906-554.0**



## HEPA, dust class H filter

### HEPA flat pleated filter



## HEPA, dust class H filter

HEPA surface filter - dust class H (H 14) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.

**Order number 6.904-242.0**

## Inaktiv

### Auto kit

Component parts of kit: 4m suction hose (4.440-263) - car cleaning tool (6.900-952) - upholstery tool ID 35 (6.900-233) - reducer ID 40/35 (6.902-017)



**Order number 2.637-443.0**

## Micro sprayer sets

### Micro sprayer set

Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)



**Order number 2.860-116.0**

## Miscellaneous

### Extension cable

Extension cable, 20 m, 3x1.5 mm<sup>2</sup>. With splash-proof earthing pin plug, strain relief and anti-kink sleeve.



**Order number 6.647-022.0**

## Other nozzles

### Rubber suction nozzle, 45°

Angled 45°, for suction of machines, oil-resistant



**Order number 6.902-106.0**

## Paper filter bags (two-ply)

### Paper filter bags

5 paper filter bags (BIA-(U, S, G, C) dust class M) with reinforced outer ply. Standard for NT 561/611 Eco/te/M/TEA/M A, optional for NT 361 Eco BS/611 Eco BS.



**Order number 6.904-208.0**

## Pipe dusting nozzles

### Pipe dusting nozzle, ID 35

Plastic, pipe diameter 100 mm



**Order number 6.903-035.0**

### Pipe dusting nozzle

Plastic, pipe diameter 200 mm



**Order number 6.903-036.0**

## Plastic bend

### Plastic bend

Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).



**Order number 5.031-718.0**

## Plastic bend

### Plastic bend

Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.

**Order number 5.031-939.0**



### Plastic bend

Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.

**Order number 5.032-427.0**



### Plastic bend

Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.

**Order number 5.031-904.0**



## Plastic sacks for dust-free disposal

### Plastic sacks for dust-free disposal

PE plastic sack.

**Order number 6.596-886.0**



## Reducers (pipe -> nozzle)

### Reducer

Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.

**Order number 6.902-017.0**



### Reducer from DN 35 to DN 32.

Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.

**Order number 6.902-072.0**



## Reducing sleeves

### Reducer

Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.

**Order number 5.407-108.0**



## Reduction/expansion bushings kit

### Set of reducers / adapter sleeves

DN 40/35, DN 35/32 (tube -> nozzle), plastic.

**Order number 2.860-117.0**



## Repair kits

### Repair kit, C 35

Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.

**Order number 2.639-682.0**





## Rubber suction tools, nose 45°

### Rubber suction tool, nose 45°

45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.



**Order number 6.902-104.0**

### Rubber suction tool, nose 45°

45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.



**Order number 6.902-105.0**

## Rubber tool

### Rubber nozzle, ID 40

Rubber.



**Order number 4.763-057.0**

## Suction brushes

### Suction brush, ID 35, natural bristles

Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.



**Order number 6.903-862.0**

## Suction hoses (clip system)

### Suction hose

4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.



**Order number 6.906-241.0**

### Suction hose

2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.



**Order number 6.906-275.0**

### Suction hose

4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.



**Order number 6.906-500.0**

### Suction hose

4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.



**Order number 6.906-321.0**

### Suction hose

With bayonet and clip connection.



**Order number 6.906-714.0**

### Suction hose

Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.



**Order number 6.906-546.0**

### Suction hose

Suction hose with bayonet coupling, electrically conductive.



**Order number 6.906-877.0**

## Suction hoses (clip system)

### Suction hose (clip system), C 35, 10 m

Electrically conductive, 10 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.



Order number 6.906-242.0

## Suction hoses complete

### Suction hose, complete, DN 35, 120°

Temperature-resistant to 120 °C.



Order number 4.440-339.0

### Suction hose, complete, DN 27, 3.5 m

Electrically non-conductive suction hose (3.5 m) with DN 27 adapter for power tools at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.



Order number 4.440-446.0

### Suction hose, complete, DN 27, 7 m

Electrically non-conductive suction hose (7 m) with DN 27 power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.



Order number 4.440-461.0

## Suction pipes, metal

### Suction tube

Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.



Order number 6.900-275.0

## Suction pipes, plastic

### Suction tube, ID 35

Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.



Order number 6.900-384.0

## Suction pipes, stainless steel

### Suction tube, ID 35

Order number 6.902-154.0



### Suction tube, ID 40

Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.

Order number 6.902-081.0



### Suction tube, ID 40

Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.

Order number 6.906-531.0



## Target-group-specific accessory kits for suction devices

### Universal kit for industrial and commercial use

Accessory kit for industrial and commercial use.

Order number 2.637-595.0



### Heating boiler cleaning kit

Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.

Order number 2.638-852.0



### Construction kit

Building and ancillary trade accessory kit.

Order number 2.637-352.0



### Professional cleaning kit

Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).

Order number 2.637-353.0



### Horse kit

Target group-specific accessory kit for horse and pony breeders or owners

Order number 2.637-248.0



### Wet and dry vacuuming kit, DN 40, electrically conductive

Wet and dry vacuum cleaner kit, electrically conductive, DN 40.

Order number 2.638-147.0



## Turbo nozzles

### Turbo nozzle

Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.

Order number 2.860-113.0



### Turbo nozzle

Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.

Order number 2.860-114.0



## UBS non-conductive media

### ABS non-conductive media

For switching off when vacuuming non-conductive fluids such as oils and greases.

Order number 2.641-560.0



## Wet filter bag

### Wet filter bag

Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.



**Order number 6.904-211.0**

## Y-adapter kit

### Y-adapter kit

Plastic distributor - suitable for NT vacuum cleaners.



**Order number 2.637-217.0**

---