



Puzzi 8/1 C

The Puzzi 8/1 C is a powerful entry-level spray extraction machine. The spray extraction machine can be used for upholstery cleaning or for removing stains on carpets. Because an extremely small amount of residual moisture remains after cleaning, cleaned carpets and upholstery can be quickly used again. Equipped as standard with a spray vacuum hose and ergonomic hand nozzle.



1 Low weight

- At 9.8 kg, the Puzzi 8/1 C is easy to carry and 35% lighter than the competition. Ideal for intermediate cleaning, thanks to rapid drying.
- Easily transported, even over obstacles and stairs.

2 Compact construction style

- The Puzzi 8/1 C also shows its strengths when cleaning upholstery and vehicle interiors.
- Compact, space-saving design.

3 Convenient handling and good accessibility

- Easily removable dirty water tank, easy disposal of dirty water and refilling of the fresh water tank.

4 User-friendly operation

- A large foot switch for ergonomic operation makes it easier to concentrate on the cleaning task.



Puzzi 8/1 C

- Foldable cable hook
- Large foot switch
- Accessory storage for hand nozzle

Technical data

| | | |
|-------------------------------------|-------------------|-----------------|
| Order No. | 1.100-225.0 | |
| EAN code | 4039784962200 | |
| Max. area performance | m ² /h | 12-18 |
| Air flow | l/s | 61 |
| Vacuum | mbar / kPa | 230 / 23 |
| Spray rate | l/min | 1 |
| Spray pressure/back pressure | bar | 1 |
| Fresh/dirty water tank | l | 8 / 7 |
| Turbine power | W | 1200 |
| Pump power | W | 40 |
| Weight | kg | 9.8 |
| Dimensions (L × W × H) | mm | 530 × 330 × 440 |
| Voltage | V | 220-240 |
| Frequency | Hz | 50-60 |

Equipment

| | | |
|----------------------------------------------------|---|-----|
| Spray hose with integrated water feed | m | 2.5 |
| Integral accessory holder for manual nozzle | | ■ |
| Power cord | m | 7.5 |
| Upholstery nozzle | | ■ |
| Handle with trigger | | ■ |
| Cable hook | | ■ |

■ Included in delivery.

ACCESSORIES FOR PUZZI 8/1 C

1.100-225.0

KÄRCHER



| | | Order No. | Quantity | ID | Width | Length | Price | Description | |
|-----------------------------------------|----|-------------|------------|-------|--------|--------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| Upholstery tools | | | | | | | | | |
| Hand nozzle | 1 | 4.130-116.0 | 1 piece(s) | DN 32 | 110 mm | | | Plastic, DN 32, with transparent window. For cleaning upholstery or small areas that are hard to reach with the floor tool. | ■ |
| Upholstery tool | 2 | 4.130-001.0 | 1 piece(s) | DN 32 | 110 mm | | | Upholstery nozzle, 110 mm. | ■ |
| Hand tool | 3 | 4.130-083.0 | 1 piece(s) | DN 32 | 127 mm | | | Die-cast aluminium, DN 32. For cleaning vertical blinds, with plastic coupling. | □ |
| Window cleaning kit | 4 | 2.638-778.0 | 1 piece(s) | DN 32 | | | | With 2 m hose, connects to spray suction hose of Puzzi 8/1 C, Puzzi 100 and Puzzi 200. | □ |
| Stair tool ID 32, 230mm | 5 | 4.130-128.0 | 1 piece(s) | DN 32 | 230 mm | | | Two-part, plastic coupling, short aluminium tube. | □ |
| Spray suction hoses | | | | | | | | | |
| Spray suction hose, 2.5 m | 6 | 6.394-826.0 | 1 piece(s) | DN 32 | | 2.5 m | | Standard spray/suction hose. | ■ |
| Spray extraction hose ID 32 | 7 | 6.391-411.0 | 1 piece(s) | DN 32 | 4 m | | | Spray suction hose, complete with robust quick connect plastic coupling, 4 m. | □ |
| Spray suction hose, 4 m | 8 | 6.394-375.0 | 1 piece(s) | DN 32 | | 4 m | | Optional 4 m spray suction hose. | □ |
| Other | | | | | | | | | |
| Handle | 9 | 4.130-000.0 | 1 piece(s) | DN 32 | | | | Enables quick change of floor, upholstery and crevice nozzles. With sight glass for checking the vacuumed dirty water. Adapters for spray and suction hose. | ■ |
| Defoamer agent tank | 10 | 4.006-907.0 | 1 piece(s) | DN 32 | | | | Container for defoamer solution. | □ |
| Extension tube | 11 | 4.025-004.0 | 1 piece(s) | DN 32 | 780 mm | | | Extension tube, individual. | □ |
| Crevice nozzle | 12 | 4.130-010.0 | 1 piece(s) | DN 32 | | | | Crevice nozzle for spray extraction cleaners. | □ |
| D-handle | 13 | 4.321-001.0 | 1 piece(s) | | | | | D-handle, individual, for extension tube 4.025-004.0. Adjustable without tools | □ |
| Floor tools | | | | | | | | | |
| Nozzle complete | 14 | 4.130-127.0 | 1 piece(s) | DN 32 | 230 mm | | | Two-part, plastic coupling with aluminium tube. | □ |
| Nozzle metal with packing | 15 | 4.130-394.0 | 1 piece(s) | DN 32 | 230 mm | | | Two-part, quick connect plastic coupling, aluminium tube, metal nozzle. | □ |
| Flexible floor nozzle, 240 mm, complete | 16 | 4.130-007.0 | 1 piece(s) | DN 32 | 240 mm | | | Kit consisting of floor nozzle (240 mm), suction pipe and D-handle. Transparent sight glass for checking the vacuumed dirty water. Flexible squeegee. | □ |
| Flexible floor tool, 240 mm, single | 17 | 4.130-008.0 | 1 piece(s) | DN 32 | 240 mm | | | Floor nozzle (240 mm), individual. Transparent sight glass for checking the vacuumed dirty water. Flexible suction bar. Included in kit 4.130-007.0. | □ |
| Hard surface adapters | | | | | | | | | |
| Hard-surface adapter, hand nozzle | 18 | 4.762-219.0 | 1 piece(s) | | 110 mm | | | For manual nozzle. | □ |
| Hard surface adapter | 19 | 4.762-220.0 | 1 piece(s) | | 230 mm | | | For floor nozzle. | □ |
| Hard floor rubber adapter small 240 mm | 20 | 4.762-014.0 | 1 piece(s) | | 240 mm | | | Hard surface adapter for floor nozzle, 240 mm. | □ |
| Stone carpet tools | | | | | | | | | |
| Stone carpet, hard-surface tool | 21 | 4.130-117.0 | 1 piece(s) | DN 32 | 330 mm | | | Two-part, quick connect plastic coupling, wet floor nozzle (metal) with spray nozzle. | □ |

■ Included in delivery. □ Available accessories.